AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. A device for acquiring and monitoring over time the development of at least one product-related variable, including a support (24) intended to be associated with the product and supporting a set of at least one sensor (26) for measuring said variable and means (30, 32, 34) for processing the data output by the sensor so as to monitor the development of said variable relative to threshold values, characterized in that wherein the processing means include a file system (30) in which the data output by the sensor is stored and a management algorithm (32) for organizing the storing of the data in the file system and managing the retrieval of said data, the file system and the management algorithm being embedded in the support.
- 2. The device as claimed in claim 1, characterized in that wherein it includes a universal internal clock, the processing means (30, 32, 34) monitoring the development over time of said variable according to timetable data supplied by the clock.
- 3. The device as claimed in claim 2, characterized in that <u>wherein</u> the processing means (30, 32, 34) include means for creating product monitoring

Attorney's Docket No. 033924-006

Application No. <u>Unassigned</u>

Page 3

monitoring phases, each corresponding to a state of the product, by assigning

specific threshold and duration values to each phase.

4. (Currently Amended) The device as claimed in any one of claims 1 to 3 claim

1, characterized in that wherein it includes a display unit (36) for indicating any

overrun of the or each threshold value(s).

5. (Currently Amended) The device as claimed in claim 4, characterized in that

wherein the display unit is a blinking indicator, the color of which reflects a criterion

for acceptance of a signaled overrun.

6. (Currently Amended) The device as claimed in claim 5, characterized in that

wherein the blinking indicator comprises a light-emitting diode.

7. (Currently Amended) The device as claimed in claim 6, characterized in that

wherein it includes an independent power supply battery (38) and voltage step-up

means (40) for powering the light-emitting diode.

8. (Currently Amended) The device as claimed in any one of claims 1 to 7 claim

1, characterized in that wherein it includes means (42, 46) for transferring the stored

data to a remote product monitoring system, in response to a request to transfer said

data sent by said system.

Attorney's Docket No. <u>033924-006</u> Application No. <u>Unassig</u>ned

Page 4

9. (Currently Amended) The device as claimed in claim 8, characterized in that

wherein the means for transferring the data are wireless data transfer means.

10. (Currently Amended) The device as claimed in any one of claims 1 to 9 claim

1 characterized in that wherein the support also includes means of encoding

information by bar odes.

11. (Currently Amended) A system for monitoring products by observing the

development over time of at least one product-related variable, including a set of

sensors (10) for measuring said variable and a remote monitoring center for

displaying the data output by the sensors, characterized in that wherein the sensors

consist of devices according to any one of claims 1 to 10 claim 1.

12. (Currently Amended) The system as claimed in claim 11, characterized in

that wherein the remote monitoring center is connected to a computer network, in

particular the Internet.

a plurality of laser irradiation section by which laser beams with such a

wavelength as to have a vasodilating action are radiated as pulses from positions

over a skin;

a holding section for positioning and fixing laser beam outgoing ports of said

plurality of laser irradiation section in a radial pattern so that said laser beams are

concentrated onto a subcutaneous target part; and

a control section for such a control that laser irradiations by said plurality of

laser irradiation section are conducted at time intervals.